



LT SERIES LT409 - 9W

9 watt non-dimmable LED SMD tubular lamps

Application

Energy efficient LED lamp solutions

Design Specifications

- Opal polycarbonate diffuser
- Poly covered aluminium body
- High efficiency SMD LED chips, beam 240 degree
- Integral non-dimmable LED driver
- Colour temperature 3000K, 4000K, 6000K, CRI >80
- Suits most CFL lamp fitting, lamp bases B22, E27



Technical Specification


Model No.	Description	Input (V)	Power (W)	Lumens (lm)	CCT (K)	CRI
LT409/27B22	LED TUBULAR 40mm 9W B22 3K	240	9	850	3000	80
LT409/27E27	LED TUBULAR 40mm 9W E27 3K	240	9	850	3000	80
LT409/40B22	LED TUBULAR 40mm 9W B22 4K	240	9	900	4000	80
LT409/40E27	LED TUBULAR 40mm 9W E27 4K	240	9	900	4000	80
LT409/65B22	LED TUBULAR 40mm 9w B22 6K	240	9	950	6500	80
LT409/65E27	LED TUBULAR 40mm 9W E27 6K	240	9	950	6500	80

Model No.	Base Type	Beam Angle (°)
LT409/27B22	B22	240
LT409/27E27	E27	240
LT409/40B22	B22	240
LT409/40E27	E27	240
LT409/65B22	B22	240
LT409/65E27	E27	240


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish.

Dimensions

LT409 B22



LT409 E27



Product Images

