

8

WP700MA-3 Constant Current LED Driver

Description

3W 700mA Constant Current LED driver. Featuring an anodised aluminium housing designed for harsh environmental conditions. Designed to work with luminaires requiring the use for 700mA Constant Current. Complete with flex and plug. Backed by a 3 Year replacement Warranty.

Specification Features

| Input Voltage (AC): | 200-260V AC (50/60Hz) |
|----------------------|---------------------------------|
| Output Voltage (DC): | 3 - 5V |
| Output Current (A): | 700mA |
| Output Wattage (W): | 2 - 3W |
| Flex and Plug: | Yes |
| IP Rating (IP): | 67 |
| Dimensions: | (L) 100mm x (W) 44mm x (H) 32mm |
| Dimmable: | No |
| Warranty: | 3 Year Replacement |
| Wiring: | Wire in Series |
| | |




67

LED

3yr

. 700mA

Diagrams / Additional



| Item No. | Variant |
|----------------|---------|
| DRIVER-WP700MA | 20393 |





8

WP700MA-10 Constant Current LED Driver

Description

10W 700mA Constant Current LED driver. Featuring an anodised aluminium housing designed for harsh environmental conditions. Designed to work with luminaires requiring the use for 700mA Constant Current. Complete with flex and plug. Backed by a 3 Year replacement Warranty.

Specification Features

| Input Voltage (AC): | 200-260V AC (50/60Hz) |
|----------------------|---------------------------------|
| Output Voltage (DC): | 12 - 15V |
| Output Current (A): | 700mA |
| Output Wattage (W): | 8.5 - 10W |
| Flex and Plug: | Yes |
| IP Rating (IP): | 67 |
| Dimensions: | (L) 100mm x (W) 44mm x (H) 32mm |
| Dimmable: | No |
| Warranty: | 3 Year Replacement |
| Wiring: | Wire in Series |
| | |




67

LED

3yr

. 700mA

Diagrams / Additional



| Item No. | Variant |
|----------------|---------|
| DRIVER-WP700MA | 20395 |



8

WP700MA-20 Constant Current LED Driver

Description

20W 700mA Constant Current LED driver. Featuring an anodised aluminium housing designed for harsh environmental conditions. Designed to work with luminaires requiring the use for 700mA Constant Current. Complete with flex and plug. Backed by a 3 Year replacement Warranty.

Specification Features

| Input Voltage (AC): | 200-260V AC (50/60Hz) |
|----------------------|---------------------------------|
| Output Voltage (DC): | 25 - 30V |
| Output Current (A): | 700mA |
| Output Wattage (W): | 17.5 - 20W |
| Flex and Plug: | Yes |
| IP Rating (IP): | 67 |
| Dimensions: | (L) 100mm x (W) 44mm x (H) 32mm |
| Dimmable: | No |
| Warranty: | 3 Year Replacement |
| Wiring: | Wire in Series |
| | |




67

LED

3yr

. 700mA

Diagrams / Additional



| Item No. | Variant |
|----------------|---------|
| DRIVER-WP700MA | 20256 |